

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
1	5400001	43.00	31	5400038	31.00	61	5400074	19.00	91	5400110	21.00
2	5400002	29.50	32	5400040	17.00	62	5400075	27.00	92	5400111	23.50
3	5400004	16.00	33	5400041	22.00	63	5400076	16.50	93	5400112	18.00
4	5400005	18.50	34	5400042	17.00	64	5400078	18.00	94	5400113	17.00
5	5400006	32.50	35	5400043	17.00	65	5400079	26.00	95	5400114	36.00
6	5400007	17.50	36	5400044	12.50	66	5400080	29.00	96	5400115	33.00
7	5400008	25.00	37	5400045	20.50	67	5400081	32.00	97	5400116	19.00
8	5400009	25.50	38	5400046	18.50	68	5400082	18.00	98	5400117	17.00
9	5400010	25.00	39	5400047	17.00	69	5400083	21.50	99	5400119	21.50
10	5400011	18.00	40	5400048	25.50	70	5400084	29.50	100	5400120	17.50
11	5400012	22.50	41	5400049	28.50	71	5400085	25.00	101	5400121	25.50
12	5400013	25.00	42	5400050	19.50	72	5400087	16.00	102	5400122	21.50
13	5400014	23.00	43	5400051	22.50	73	5400088	20.50	103	5400123	22.50
14	5400015	30.00	44	5400052	24.00	74	5400089	23.00	104	5400124	25.50
15	5400017	21.00	45	5400055	21.00	75	5400090	21.50	105	5400125	20.00
16	5400018	23.50	46	5400056	23.50	76	5400091	22.50	106	5400126	26.50
17	5400020	32.00	47	5400057	19.50	77	5400092	19.00	107	5400127	23.50
18	5400021	37.50	48	5400058	22.00	78	5400093	19.00	108	5400128	19.50
19	5400024	33.00	49	5400061	13.50	79	5400095	23.50	109	5400129	17.00
20	5400025	20.50	50	5400062	29.00	80	5400096	19.00	110	5400130	14.50
21	5400026	23.00	51	5400063	15.00	81	5400098	22.00	111	5400131	36.00
22	5400027	22.00	52	5400064	19.00	82	5400100	25.00	112	5400133	21.50
23	5400028	29.00	53	5400065	20.50	83	5400101	16.00	113	5400134	33.00
24	5400029	17.00	54	5400066	17.50	84	5400102	16.50	114	5400135	24.50
25	5400030	18.00	55	5400067	24.50	85	5400103	28.00	115	5400136	41.00
26	5400031	24.00	56	5400068	30.50	86	5400104	30.00	116	5400137	18.00
27	5400032	20.50	57	5400069	22.00	87	5400105	16.50	117	5400138	37.00
28	5400034	24.50	58	5400071	16.00	88	5400106	29.00	118	5400139	34.50
29	5400035	28.50	59	5400072	16.50	89	5400107	16.50	119	5400140	18.00
30	5400036	35.00	60	5400073	25.00	90	5400108	22.50	120	5400141	25.00

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
121	5400142	20.00	151	5400181	22.00	181	5400218	28.00	211	5400249	22.50
122	5400143	30.50	152	5400183	22.50	182	5400219	35.00	212	5400250	13.50
123	5400144	17.50	153	5400184	32.50	183	5400220	23.50	213	5400251	22.00
124	5400145	20.00	154	5400185	21.50	184	5400221	18.50	214	5400252	24.00
125	5400146	22.50	155	5400186	33.00	185	5400222	23.00	215	5400253	15.00
126	5400148	22.50	156	5400187	16.50	186	5400223	25.00	216	5400254	24.50
127	5400149	19.00	157	5400188	22.00	187	5400225	28.00	217	5400255	31.00
128	5400150	16.00	158	5400189	18.50	188	5400226	15.50	218	5400256	10.00
129	5400151	18.50	159	5400190	16.50	189	5400227	34.50	219	5400257	21.00
130	5400154	28.00	160	5400191	26.00	190	5400228	29.50	220	5400258	27.50
131	5400155	17.50	161	5400192	26.50	191	5400229	18.00	221	5400259	18.50
132	5400156	18.00	162	5400193	16.50	192	5400230	17.00	222	5400260	23.50
133	5400158	14.50	163	5400194	21.00	193	5400231	20.50	223	5400261	14.50
134	5400160	25.00	164	5400196	12.00	194	5400232	34.50	224	5400262	15.00
135	5400161	23.50	165	5400197	20.50	195	5400233	14.50	225	5400263	20.50
136	5400162	21.50	166	5400198	17.50	196	5400234	16.50	226	5400264	16.00
137	5400163	23.50	167	5400199	21.00	197	5400235	21.50	227	5400265	18.50
138	5400164	13.50	168	5400201	18.50	198	5400236	31.00	228	5400267	21.00
139	5400166	17.50	169	5400202	22.00	199	5400237	15.50	229	5400268	21.00
140	5400167	26.50	170	5400203	17.00	200	5400238	34.00	230	5400269	15.00
141	5400169	28.00	171	5400204	20.00	201	5400239	16.00	231	5400270	30.00
142	5400170	15.50	172	5400207	20.00	202	5400240	26.50	232	5400271	17.00
143	5400171	22.00	173	5400209	19.50	203	5400241	18.50	233	5400272	31.00
144	5400172	30.00	174	5400210	30.00	204	5400242	23.00	234	5400273	20.50
145	5400173	27.50	175	5400211	16.00	205	5400243	26.50	235	5400274	38.00
146	5400175	24.50	176	5400212	32.50	206	5400244	25.50	236	5400275	17.50
147	5400176	22.00	177	5400213	23.00	207	5400245	21.00	237	5400276	20.50
148	5400177	22.00	178	5400214	18.00	208	5400246	39.50	238	5400277	18.00
149	5400178	26.50	179	5400215	19.50	209	5400247	17.50	239	5400278	33.50
150	5400179	24.50	180	5400217	26.00	210	5400248	14.00	240	5400279	24.00

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
241	5400280	14.00	271	5400310	16.00	301	5400350	31.00	331	5400392	18.00
242	5400281	18.50	272	5400311	24.50	302	5400351	32.00	332	5400393	27.00
243	5400282	28.00	273	5400313	19.00	303	5400352	24.50	333	5400394	24.50
244	5400283	18.50	274	5400315	18.00	304	5400353	34.50	334	5400395	22.00
245	5400284	20.00	275	5400316	20.00	305	5400354	21.50	335	5400396	34.50
246	5400285	16.00	276	5400318	23.50	306	5400355	21.50	336	5400397	26.50
247	5400286	29.50	277	5400319	20.50	307	5400356	22.00	337	5400398	24.50
248	5400287	31.00	278	5400320	32.50	308	5400358	24.00	338	5400399	35.00
249	5400288	25.50	279	5400321	24.00	309	5400359	26.00	339	5400400	35.00
250	5400289	25.50	280	5400322	17.50	310	5400360	36.00	340	5400401	24.00
251	5400290	31.00	281	5400323	13.00	311	5400361	23.00	341	5400402	26.00
252	5400291	15.50	282	5400324	21.00	312	5400362	19.50	342	5400403	30.00
253	5400292	18.00	283	5400326	20.00	313	5400363	31.50	343	5400404	23.00
254	5400293	25.50	284	5400327	29.00	314	5400366	34.00	344	5400406	13.50
255	5400294	16.50	285	5400328	36.00	315	5400368	28.50	345	5400407	17.00
256	5400295	20.50	286	5400329	28.00	316	5400369	24.50	346	5400408	19.00
257	5400296	19.50	287	5400330	17.00	317	5400370	23.00	347	5400409	31.00
258	5400297	18.00	288	5400331	22.00	318	5400371	16.00	348	5400410	19.50
259	5400298	17.50	289	5400332	25.00	319	5400372	29.00	349	5400411	27.00
260	5400299	24.50	290	5400333	35.50	320	5400376	35.00	350	5400412	19.50
261	5400300	21.00	291	5400335	35.00	321	5400379	30.00	351	5400413	31.50
262	5400301	21.50	292	5400336	27.50	322	5400380	20.00	352	5400414	21.50
263	5400302	21.00	293	5400337	29.50	323	5400381	11.50	353	5400415	17.50
264	5400303	17.50	294	5400338	31.00	324	5400382	18.00	354	5400417	37.00
265	5400304	17.00	295	5400339	39.50	325	5400383	21.50	355	5400418	16.50
266	5400305	22.00	296	5400341	15.50	326	5400384	34.00	356	5400419	18.50
267	5400306	23.00	297	5400342	18.50	327	5400385	31.50	357	5400420	22.00
268	5400307	16.00	298	5400344	29.50	328	5400386	19.00	358	5400421	24.00
269	5400308	20.50	299	5400346	21.00	329	5400389	33.00	359	5400423	18.00
270	5400309	15.50	300	5400347	26.00	330	5400390	21.00	360	5400424	19.50

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
361	5400428	14.50	391	5400461	29.50	421	5400499	20.50	451	5400537	23.50
362	5400430	21.50	392	5400462	26.50	422	5400500	13.50	452	5400539	25.00
363	5400431	27.00	393	5400463	25.00	423	5400501	29.50	453	5400540	23.00
364	5400432	21.00	394	5400464	24.00	424	5400503	17.00	454	5400541	38.00
365	5400433	31.50	395	5400466	15.00	425	5400504	21.00	455	5400542	17.00
366	5400434	20.00	396	5400469	21.50	426	5400506	27.00	456	5400543	30.00
367	5400435	14.00	397	5400471	34.50	427	5400507	30.00	457	5400544	17.00
368	5400436	19.50	398	5400472	32.50	428	5400508	22.50	458	5400545	16.00
369	5400437	20.50	399	5400473	23.00	429	5400509	27.00	459	5400546	18.50
370	5400439	13.00	400	5400474	17.50	430	5400510	40.50	460	5400547	18.50
371	5400440	20.00	401	5400475	15.50	431	5400511	21.00	461	5400548	21.50
372	5400441	20.00	402	5400476	10.50	432	5400512	38.00	462	5400549	31.50
373	5400442	28.50	403	5400477	16.00	433	5400513	25.00	463	5400551	27.50
374	5400443	25.50	404	5400478	20.50	434	5400514	21.00	464	5400552	17.00
375	5400444	22.00	405	5400480	18.00	435	5400515	14.50	465	5400553	19.00
376	5400445	16.00	406	5400481	20.00	436	5400516	28.00	466	5400554	14.50
377	5400446	23.00	407	5400482	21.00	437	5400517	34.00	467	5400555	19.50
378	5400447	27.00	408	5400483	19.00	438	5400519	21.50	468	5400556	28.50
379	5400448	38.00	409	5400484	19.50	439	5400520	27.50	469	5400557	18.50
380	5400449	17.00	410	5400486	33.50	440	5400522	26.50	470	5400558	19.50
381	5400450	26.50	411	5400487	20.50	441	5400523	24.50	471	5400559	17.50
382	5400451	34.50	412	5400488	19.00	442	5400525	28.50	472	5400560	31.50
383	5400452	24.50	413	5400489	28.00	443	5400528	17.00	473	5400561	19.00
384	5400453	17.00	414	5400490	17.50	444	5400529	19.00	474	5400563	21.00
385	5400454	31.00	415	5400492	21.50	445	5400530	22.50	475	5400564	7.50
386	5400455	26.50	416	5400494	17.00	446	5400531	22.50	476	5400565	21.00
387	5400457	19.50	417	5400495	18.50	447	5400532	32.50	477	5400567	22.50
388	5400458	29.00	418	5400496	21.50	448	5400534	18.50	478	5400568	29.50
389	5400459	23.00	419	5400497	21.00	449	5400535	27.00	479	5400569	15.00
390	5400460	24.50	420	5400498	22.50	450	5400536	27.00	480	5400570	27.50

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
481	5400571	31.00	511	5400604	20.00	541	5400635	13.00	571	5400667	29.50
482	5400572	33.50	512	5400605	20.00	542	5400636	20.00	572	5400668	28.50
483	5400573	17.50	513	5400606	34.50	543	5400637	18.00	573	5400669	29.50
484	5400574	37.50	514	5400607	19.00	544	5400638	24.50	574	5400670	31.50
485	5400575	23.00	515	5400608	16.50	545	5400639	19.00	575	5400672	11.00
486	5400576	20.00	516	5400609	18.50	546	5400640	20.00	576	5400673	25.00
487	5400577	36.00	517	5400610	18.50	547	5400641	27.00	577	5400674	35.50
488	5400578	24.00	518	5400611	17.50	548	5400642	27.00	578	5400675	15.00
489	5400580	31.00	519	5400612	19.50	549	5400643	13.00	579	5400676	34.50
490	5400581	18.00	520	5400613	40.50	550	5400644	21.50	580	5400677	27.00
491	5400582	17.00	521	5400614	23.00	551	5400645	17.50	581	5400678	20.00
492	5400583	23.00	522	5400615	33.00	552	5400646	19.50	582	5400679	30.50
493	5400585	35.50	523	5400616	30.50	553	5400647	31.50	583	5400680	27.00
494	5400586	14.00	524	5400617	15.00	554	5400648	17.00	584	5400681	17.50
495	5400587	22.50	525	5400618	34.50	555	5400649	17.00	585	5400682	18.50
496	5400588	21.00	526	5400619	16.00	556	5400650	18.00	586	5400683	18.00
497	5400589	25.00	527	5400620	24.50	557	5400652	25.00	587	5400684	36.50
498	5400590	17.50	528	5400621	24.50	558	5400653	16.50	588	5400685	29.50
499	5400591	17.00	529	5400622	30.00	559	5400654	20.00	589	5400686	28.00
500	5400592	31.00	530	5400623	25.00	560	5400655	24.50	590	5400687	32.50
501	5400593	20.50	531	5400624	38.50	561	5400656	21.50	591	5400688	21.00
502	5400594	18.00	532	5400625	15.00	562	5400657	27.00	592	5400689	21.00
503	5400595	18.50	533	5400626	20.50	563	5400658	23.00	593	5400691	20.00
504	5400596	23.00	534	5400627	18.50	564	5400659	23.50	594	5400693	24.50
505	5400597	17.00	535	5400628	12.50	565	5400660	23.50	595	5400694	20.00
506	5400598	33.00	536	5400629	19.50	566	5400662	35.50	596	5400695	19.50
507	5400599	16.50	537	5400630	20.50	567	5400663	28.00	597	5400696	23.50
508	5400600	28.00	538	5400631	23.50	568	5400664	21.50	598	5400697	42.00
509	5400602	19.00	539	5400633	28.00	569	5400665	19.50	599	5400698	20.50
510	5400603	19.50	540	5400634	23.50	570	5400666	37.00	600	5400699	19.00

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
601	5400700	13.50	631	5400730	20.50	661	5400767	20.00	691	5400809	24.50
602	5400701	23.00	632	5400731	16.50	662	5400769	13.50	692	5400810	23.00
603	5400702	25.00	633	5400732	21.50	663	5400770	23.50	693	5400811	24.50
604	5400703	37.00	634	5400733	17.50	664	5400771	24.50	694	5400812	24.00
605	5400704	36.00	635	5400734	21.50	665	5400772	30.00	695	5400813	17.50
606	5400705	18.00	636	5400735	24.00	666	5400773	23.00	696	5400814	23.00
607	5400706	30.00	637	5400736	30.50	667	5400774	37.00	697	5400816	21.00
608	5400707	21.00	638	5400737	21.50	668	5400775	37.50	698	5400818	38.00
609	5400708	35.50	639	5400738	24.00	669	5400776	28.00	699	5400819	31.50
610	5400709	18.00	640	5400739	19.00	670	5400777	21.50	700	5400820	36.00
611	5400710	29.00	641	5400740	17.00	671	5400779	22.00	701	5400821	23.00
612	5400711	24.00	642	5400741	18.50	672	5400780	22.00	702	5400822	24.50
613	5400712	18.50	643	5400743	18.50	673	5400781	32.00	703	5400823	29.00
614	5400713	17.50	644	5400744	31.50	674	5400782	29.50	704	5400825	15.00
615	5400714	22.00	645	5400745	23.00	675	5400785	13.50	705	5400826	22.50
616	5400715	25.50	646	5400747	19.50	676	5400786	19.50	706	5400828	21.50
617	5400716	36.50	647	5400748	21.50	677	5400787	18.50	707	5400831	23.00
618	5400717	21.00	648	5400750	37.50	678	5400788	33.00	708	5400834	15.50
619	5400718	25.00	649	5400752	19.00	679	5400789	21.50	709	5400835	25.50
620	5400719	24.50	650	5400753	22.00	680	5400791	20.00	710	5400836	18.50
621	5400720	17.50	651	5400754	30.50	681	5400793	32.50	711	5400837	20.00
622	5400721	23.50	652	5400755	19.50	682	5400798	16.00	712	5400838	18.50
623	5400722	30.50	653	5400756	15.50	683	5400799	16.50	713	5400839	32.00
624	5400723	15.50	654	5400758	19.00	684	5400800	18.50	714	5400840	31.50
625	5400724	22.00	655	5400759	22.00	685	5400801	18.50	715	5400841	28.00
626	5400725	19.00	656	5400762	21.00	686	5400802	37.00	716	5400842	17.50
627	5400726	27.50	657	5400763	33.50	687	5400803	17.00	717	5400843	23.00
628	5400727	20.50	658	5400764	33.00	688	5400805	21.50	718	5400845	19.00
629	5400728	27.00	659	5400765	20.50	689	5400806	14.00	719	5400846	32.00
630	5400729	31.00	660	5400766	20.50	690	5400808	20.00	720	5400847	28.00

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
721	5400848	21.00	751	5400883	24.50	781	5400927	16.00	811	5400960	30.00
722	5400849	17.00	752	5400885	14.00	782	5400928	28.00	812	5400961	32.00
723	5400850	20.50	753	5400886	22.50	783	5400929	17.50	813	5400962	25.50
724	5400851	28.00	754	5400887	18.50	784	5400930	17.00	814	5400963	32.00
725	5400852	20.50	755	5400888	24.50	785	5400931	32.00	815	5400964	29.50
726	5400853	24.50	756	5400889	15.50	786	5400932	18.50	816	5400965	38.00
727	5400854	22.50	757	5400890	21.00	787	5400933	28.00	817	5400966	23.00
728	5400855	14.50	758	5400892	15.50	788	5400934	19.50	818	5400967	34.00
729	5400856	21.50	759	5400894	36.50	789	5400935	34.00	819	5400968	32.50
730	5400857	33.00	760	5400895	18.50	790	5400936	26.00	820	5400969	18.00
731	5400858	30.00	761	5400898	25.00	791	5400937	25.50	821	5400970	29.00
732	5400859	19.50	762	5400899	22.50	792	5400938	23.00	822	5400971	35.50
733	5400861	20.50	763	5400901	13.00	793	5400939	19.00	823	5400972	17.00
734	5400862	19.50	764	5400902	22.50	794	5400940	31.00	824	5400974	20.50
735	5400863	29.00	765	5400903	13.00	795	5400941	20.50	825	5400975	19.50
736	5400864	28.00	766	5400904	27.00	796	5400942	20.50	826	5400976	39.00
737	5400868	17.00	767	5400905	31.50	797	5400943	13.50	827	5400977	19.50
738	5400869	23.00	768	5400906	19.50	798	5400944	38.50	828	5400979	22.50
739	5400870	20.00	769	5400907	22.00	799	5400945	18.50	829	5400980	27.00
740	5400871	21.00	770	5400908	22.50	800	5400946	29.50	830	5400981	37.50
741	5400872	13.00	771	5400909	21.50	801	5400947	20.50	831	5400982	30.00
742	5400873	23.50	772	5400911	34.50	802	5400948	23.50	832	5400983	26.00
743	5400874	35.00	773	5400912	28.00	803	5400949	21.50	833	5400984	27.00
744	5400876	19.50	774	5400914	27.50	804	5400951	30.00	834	5400985	30.50
745	5400877	17.50	775	5400915	26.50	805	5400952	36.50	835	5400986	16.00
746	5400878	21.50	776	5400916	11.00	806	5400953	25.00	836	5400987	33.50
747	5400879	21.00	777	5400918	37.50	807	5400954	34.50	837	5400988	23.00
748	5400880	30.50	778	5400919	22.50	808	5400955	19.50	838	5400989	27.00
749	5400881	24.50	779	5400920	31.50	809	5400957	32.00	839	5400990	29.00
750	5400882	22.00	780	5400924	17.50	810	5400958	23.00	840	5400991	22.50

Sd/-

Controller of Examinations

Result Register of Lecturer 10+2 Bio-Technology in School Education

Department Written Test held on: 12.06.2016

Result Notification No. PSC/Exam/2017/51 Dated: 27.09.2017

SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.	SNo	RollNo	Wtg.
841	5400992	26.00	863	5401016	19.50	885	5401046	20.50	907	5401072	36.50
842	5400993	17.50	864	5401019	16.00	886	5401047	20.50	908	5401073	18.00
843	5400994	25.00	865	5401021	37.00	887	5401048	16.50	909	5401074	23.00
844	5400996	37.50	866	5401023	20.50	888	5401049	15.50	910	5401075	28.00
845	5400997	25.00	867	5401025	33.50	889	5401050	18.00	911	5401076	23.50
846	5400998	21.00	868	5401026	21.50	890	5401051	20.50	912	5401077	32.50
847	5400999	26.50	869	5401027	16.50	891	5401052	19.00	913	5401078	26.00
848	5401000	19.50	870	5401028	24.50	892	5401053	27.50	914	5401081	39.00
849	5401001	34.00	871	5401029	12.00	893	5401054	24.50	915	5401082	28.00
850	5401002	29.00	872	5401030	16.50	894	5401055	39.50	916	5401083	25.50
851	5401004	25.00	873	5401032	17.00	895	5401056	17.00	917	5401084	18.50
852	5401005	17.00	874	5401033	31.50	896	5401058	19.00	918	5401085	28.50
853	5401006	32.00	875	5401035	32.00	897	5401060	23.50	919	5401086	33.00
854	5401007	16.00	876	5401037	18.50	898	5401061	20.50	920	5401087	22.00
855	5401008	35.50	877	5401038	22.00	899	5401064	37.50	921	5401088	19.00
856	5401009	21.00	878	5401039	23.00	900	5401065	32.00	922	5401089	17.00
857	5401010	15.00	879	5401040	34.00	901	5401066	24.00	923	5401090	12.50
858	5401011	22.50	880	5401041	18.50	902	5401067	32.50	924	5401091	16.00
859	5401012	19.50	881	5401042	26.50	903	5401068	29.50	925	5401092	25.50
860	5401013	23.50	882	5401043	21.50	904	5401069	22.50	926	5401093	22.00
861	5401014	19.00	883	5401044	41.50	905	5401070	21.50	927	5401094	26.50
862	5401015	33.50	884	5401045	33.50	906	5401071	37.00	E&OE		

Weightage Formula: $Wtg = (RIGHT/120) * 60$

Sd/-
(Mohammad Mumtaz Ali), KAS
Controller of Examinations

Sd/-
Controller of Examinations